

SAFETY DATA SHEET

Page 1 of 4

SECTION 1. IDENTIFICATION

Product Name: PEELABLE WHITE WATER BASED WALL
Part Number(s): 1036904 / 1041312 / 1046490 / 1046351
Manufacturer's Name: Carbit Paint Company
Address: 927 W. Blackhawk St, Chicago, IL 60642
Information Phone: 312-280-2300
Emergency Phone: INFOTRAC 800-535-5053
Date Prepared: 10/4/2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Ratings:

There are no GHS ratings that apply to this product at this time.

GHS Hazards

GHS Precautions

Signal Word:

There are no GHS ratings that apply to this product at this time.

SECTION 3. COMPOSITION

Chemical Name	CAS number	Weight Concentration %
Titanium dioxide	13463-67-7	1.00% - 5.00%

SECTION 4. FIRST-AID MEASURES

Inhalation: Vapors may cause irritation to nose, throat and respiratory tract. High vapor concentrations may cause central nervous system depression which can lead to dizziness, weakness, headache and unconsciousness. Move individual to fresh air. If breathing is difficult, administer oxygen and seek medical attention.

Eye Contact: May cause eye irritation and/or conjunctivitis. Prolonged exposure may result in corneal burns, and/or other eye problems. If irritation occurs, move away from exposed area and flush eyes with water for 15 minutes. If irritation continues, seek medical attention.

Skin Contact: May cause mild skin irritation. Harmful if absorbed through skin. Remove contaminated clothing. Flush exposed area with water and wash with soap and water. If irritation occurs, seek medical attention.

Ingestion: Harmful or fatal if swallowed. Swallowing may cause abdominal irritation, gastrointestinal irritation, nausea, vomiting and diarrhea. Do not induce vomiting. If vomiting does occur, seek medical attention and contact poison control.

SECTION 5. FIRE-FIGHTING MEASURES

Flash Point: 181 C (358 F)

LEL: No Data

UEL: No Data

Special Firefighting Procedures: Normal fire fighting procedures may be used. Water may be used to cool containers to prevent pressure build up.

Extinguishing Media: Foam, CO2, Dry Chemical

Unusual Fire and Explosion Hazards: Material will not ignite or support combustion unless water has evaporated. Dried solids may burn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Steps Taken: Dike areas with sand and absorb with an absorbent material. Dike areas with sand and absorb with an absorbent material.

Special Precautions: Protect from freezing, keep containers closed and stored in a covered area. Do not smoke or eat in work area. Keep away from children.

SECTION 7. HANDLING AND STORAGE

Handling and Storing Precautions: Keep container closed and from freezing when not in use. Store in original container away from incompatible materials.

Hygienic Practices: As with all chemicals take all necessary precautions to avoid prolonged contact.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Titanium dioxide 13463-67-7	15 mg/m ³ TWA (total dust)	10 mg/m ³ TWA	Not Established

Engineering Controls: Facilities that are storing or using these materials should have proper ventilation equipment, and proper eyewash and safety shower facilities.

Ventilation: Provide sufficient mechanical ventilation to maintain exposure below TLV(s). Good general ventilation should be used.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, a NIOSH/MSHA approved respirator must be worn. Avoid prolonged or repeated breathing of vapors.

Hand Protection: Wear chemical resistant gloves, neoprene, plastic coated, etc.

Eye Protection: Chemical splash proof safety goggles in compliance with OSHA regulations. If splashing is possible, wear necessary protective clothing and boots. Follow hand and eye safety procedures.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: No Data	Odor: No Data
Vapor Pressure: No Data	Odor threshold: No Data
Vapor Density: No Data	pH: No Data
Specific Gravity: 1.083593354	Melting point: No Data
Freezing point: No Data	Solubility: No Data
Boiling range: 100°C	Flash point: 358 F, 181 C

<p>Evaporation rate: No Data</p> <p>Explosive Limits: 0%</p> <p>Autoignition temperature: N/A</p> <p>Viscosity: No Data</p> <p>VOC (Incl H2O & Exempt) lb/gal 0.07</p>	<p>Flammability: No Data</p> <p>Partition coefficient No Data (n-octanol/water):</p> <p>Decomposition temperature: No Data</p> <p>VOC (Excl H2O & Exempt) lb/gal 0.21</p>
---	---

SECTION 10. REACTIVITY AND STABILITY

Stability: Stable

Incompatibilities: Avoid strong oxidizing agents, strong acids and bases.

Hazardous Decomposition: No Data Available

SECTION 11. TOXICOLOGICAL INFORMATION

Emergency Overview: Harmful if inhaled or ingested. May cause eye and skin irritation. If exposed for long periods, may cause dizziness, headache or nausea.

Conditions Aggravated: Pre-existing eye, skin, heart and blood disorders may be aggravated by exposure to product.

Mixture Toxicity (Calculation Method): No Data

Routes of Entry: Ingestion, inhalation, skin absorption, skin contact, eye absorption and eye contact.

Target Organs: Damage may be caused to blood, central nervous system, eyes, heart, kidneys, liver, skin, and upper respiratory tract.

Carcinogenicity

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			N/A

SECTION 12. ECOLOGICAL INFORMATION

Ecological Information: Ecological data are not available.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: Dispose of in accordance with local, state and federal regulations. Do not incinerate closed container.

SECTION 14. TRANSPORT INFORMATION

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT	NOT REGULATED			

SECTION 15. REGULATORY INFORMATION

California Proposition 65 Carcinogens:

Titanium dioxide 13463-67-7
 Quartz 14808-60-7
 Formaldehyde 50-00-0
 Acrylonitrile 107-13-1
 Ethyl acrylate 140-88-5
 Acrylamide 79-06-1
 N-Methylolacrylamide 924-42-5

SARA 313 Chemicals:

- None

SECTION 16. OTHER INFORMATION

The information herein is furnished without warranty of any kind. Users should consider this data only as a supplement to the other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees.