

SAFETY DATA SHEET

Page 1 of 4

SECTION 1. IDENTIFICATION

Product Name: FLOOR PREP WATER BASED

Part Number: 1033524

Manufacturer's Name: Carbit Paint Company **Address:** 927 W. Blackhawk St., Chicago, IL 60642 **Information**

Phone: 312-280-2300

Emergency Phone: INFOTRAC 800-535-5053 Date

Prepared: 12/4/2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Ratings:

Skin corrosive 3
Respiratory sensitizer 1
Skin sensitizer 1
Reproductive toxin 2

GHS Hazards:

H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H361 Suspected of damaging fertility or the unborn child.

GHS Precautions:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

P285 In case of inadequate ventilation wear respiratory protection.
P321 Specific treatment (see first aid section on this label).

P363 Wash contaminated clothing before reuse.
P302+P352 IF ON SKIN: Wash with soap and water

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing

P308+P313 IF exposed or concerned: Get medical advice/attention
P332+P313 If skin irritation occurs: Get medical advice/attention

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P342+P311 Call a POISON CENTER or doctor/physician

P405 Store locked up.

P501 Dispose of contents/container accordance with local/state/federal

regulations.

Signal Word: Danger



SECTION 3. COMPOSITION

Chemical Name	CAS number	Weight Concentration %

SECTION 4. FIRST-AID MEASURES

Inhalation: Move individual to fresh air. If breathing is difficult, administer oxygen and seek medical attention.

Eye Contact: If irritation occurs, move away from exposed area and flush eyes with water for 15 minutes. If irritation continues, seek medical attention.

Skin Contact: Remove contaminated clothing. Flush exposed area with water and wash with soap and water. If irritation occurs, seek medical attention.

Ingestion: Do not induce vomiting. If vomiting does occur, seek medical attention and contact poison control.

SECTION 5. FIRE-FIGHTING MEASURES

Flash Point: N/A LEL: No Data UEL: No Data

Special Firefighting Procedures: Normal fire fighting procedures may be used. Water may be used to cool containers to prevent pressure build up.

Extinguishing Media: Foam, CO2, Dry Chemical

Unusual Fire and Explosion Hazards: Material will not ignite or support combustion unless water has evaporated. Dried solids may burn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak: If spilled, dike areas with sand and absorb with an absorbent material.

Special Precautions: Protect from freezing, keep containers closed and stored in a covered area. Do not smoke or eat in work area. Keep away from children.

SECTION 7. HANDLING AND STORAGE

Handling and Storing Precautions: Keep container closed and from freezing when not in use. Store in original container away from incompatible materials.

Hygienic Practices: As with all chemicals take all necessary precautions to avoid prolonged contact.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
	Not Established	Not Established	Not Established

Engineering Controls: Facilities that are storing or using these materials should have proper ventilation equipment, and proper eyewash and safety shower facilities.

Ventilation: Provide sufficient mechanical ventilation to maintain concentrations below exposure limits.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, a suitable respirator must be worn. Avoid prolonged or repeated breathing of vapors.

Hand Protection: Wear chemical resistant gloves, neoprene, plastic coated, etc.

Eye Protection: Chemical splash proof safety goggles in compliance with OSHA regulations. If splashing is possible, wear necessary protective clothing and boots. Follow hand and eye safety procedures.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: No Data

Vapor Pressure: No Data

Vapor Density: No Data

Specific Gravity: 1.072424292

Freezing point: No Data

Boiling range: 100°C

Evaporation rate: No Data

Explosive Limits: 0%

Autoignition temperature: N/A

Viscosity: No Data

VOC (Incl H2O & Exempt) lb/gal 0.08

Odor: No Data

Odor threshold: No Data

pH: No Data

Melting point: No Data

Solubility: No Data

Flash point: 999 F.999 C

Flammability: No Data

Partition coefficient (n- No Data

octanol/water):

Decomposition temperature: No Data

VOC (Excl H2O & Exempt) lb/gal 0.32

SECTION 10. REACTIVITY AND STABILITY

Stability: STABLE

Incompatibilities: Avoid strong oxidizing agents, strong acids and bases.

Hazardous Decomposition: No Data Available

SECTION 11. TOXICOLOGICAL INFORMATION

Emergency Overview: Harmful if inhaled or ingested. May cause eye and skin irritation. If exposed for long periods, may cause dizziness, headache or nausea.

Conditions Aggravated: Pre-existing eye, skin, heart and blood disorders may be aggravated by exposure to product.

Mixture Toxicity (Calculation Method):

Routes of Entry: Ingestion, inhalation, skin absorption, skin contact, eye absorption, and eye contact.

Target Organs: Damage may be caused to blood, central nervous system, eyes, heart, kidneys, liver, skin, and upper respiratory tract.

Carcinogenicity

SECTION 12. ECOLOGICAL INFORMATION

Ecological Information: Ecological data are not available.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: Dispose of in accordance with local, state and federal regulations. Do not incinerate closed container.

SECTION 14. TRANSPORT INFORMATION

Agency Proper Shipping Name UN Number Packing Group Hazard Class

DOT NOT REGULATED

SECTION 15. REGULATORY INFORMATION

California Proposition 65 Carcinogens:

Formaldehyde 50-00-0

SARA 313 Chemicals:

- None

SECTION 16. OTHER INFORMATION

The information herein is furnished without warranty of any kind. Users should consider this data only as a supplement to the other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees.